

仁愛醫療財團法人大里仁愛醫院 公告

承辦單位：藥劑部
承辦人：鍾尚容
分 機：11135

受文者：兩院區暨護理之家全體同仁

速別：普通件

發文日期：中華民國105年5月20日

發文字號：院內字第105151公告

附件：

主旨：修訂『高警訊藥品之藥品名單』，請查照。

依據：衛生局105年度病人安全工作目標稽查項目3.2高警訊藥品的使用管理

公告事項：

- 一、修訂『高警訊藥品』品項，如附件。
- 二、自公告日起實施。

仁愛醫療財團法人仁愛醫院高警訊藥品品項清單-105年度

94.05.08 制定

105.05.06 十四修

參考資料- ISMP's list of high-alert medications

Class/Category of Medications

| | | 代碼 | 商品名 | 學名 | 劑量 |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------|
| 1 | adrenergic agonists, IV (e.g., EPINEPHrine, phenylephrine, norepinephrine) | IGED | Gendobu 250mg inj. | Dobutamine HCl | 12.5mg/ml, 20ml/vial |
| | | IEPH | Ephedrine Hydrochloride 40mg inj. | Ephedrine HCl | 40mg/1 ml/amp |
| | | IADR | Adrenalin 1mg inj. | Epinephrine | 1mg/ml/amp |
| | | IDOP2 | Dopamine HCl - Fresenius 200mg inj. | Dopamine HCl | 40mg/ml,5ml/amp |
| | | INOE | Norepine 4mg/4ml inj. | Norepinephrine | 1mg/ml, 4ml/amp |
| 2 | adrenergic antagonists, IV (e.g., propranolol, metoprolol, labetalol) | IESM | Esmolol HCl inj. | Esmolol HCl | 100mg/10ml/vial |
| | | ITRN | Trandate 25mg inj. | Labetalol HCl | 25mg/5ml/amp |
| 3 | anesthetic agents, general, inhaled and IV (e.g., propofol, ketamine) | ICIT | Citosol 500mg inj. | Thiamylal sodium | 500mg/20ml/amp |
| | | IPPO | Propofol-lipuro1% inj. | Propofol | 10mg/ml, 20ml/amp |
| | | IKEA | Ketalar 500mg inj. | Ketamine hydrochloride | 50mg/ml,10ml/btl |
| | | EULT | Ultane inhalation anaesthetic. | Sevoflurane | 250ml/btl |
| | | EFOA | Forane inhalation anaesthetics. | Isoflurane | 100ml/bot |
| 4 | antiarrhythmics, IV (e.g., lidocaine, amiodarone) | ICOR | Cordarone 150mg inj. | Amiodarone HCl | 150mg/amp |
| | | I2IV | 2% Xylocaine for IV inj. | Lidocaine HCl | 100mg/5ml/amp |
| | | IADE | Adenozer 6mg inj. | Adenosine | 6mg/2ml/amp |
| 5 | antithrombotic agents, including: *anticoagulants (e.g., warfarin, low-molecular-weight heparin, IV unfractionated heparin) *Factor Xa inhibitors (e.g., fondaparinux, apixaban, rivaroxaban) *direct thrombin inhibitors (e.g., argatroban, bivalirudin, dabigatran etexilate) *thrombolytics (e.g., alteplase, reteplase, tenecteplase) *glycoprotein IIb/IIIa inhibitors (e.g., eptifibatide) | OMAF2 | Mafarin 2.5mg tab. | Warfarin sodium | 2.5mg/tab |
| | | ICLX | Clexane 6000IU PFS inj. | Enoxaparin Sodium | 6000IU Pfs/amp |
| | | IINN | Innohep 10000 Antixa IU Inj. | Tinzaparin Sodium | 10,000IU/ml, 2ml/Vail |
| | | IHE5 | Hepac 25000IU inj. | Heparin Sodium | 5000IU/ml, 5ml/vial |
| | | IURI | Urokinase 250,000 u inj. | Purified Urokinase Solution | 250,000u/vial |
| | | IAC | Actilyse 50mg inj. | Recombinant human tissue type Plasminogen Activator | 50mg/btl |
| | | IAGG | Aggrastat 50ml inj. | Tirofiban | 12.5mg/50ml |
| | | OELI | Eliquis F.C. 5mg tab | Apixaban | 5mg/tab |
| 6 | cardioplegic solutions | IPLE | Plegisol solution | Sod. Chloride 0.643%, Pot. Chloride 0.11393%, Cal. chloride 0.0176%, Mag.Chloride 0.3253% 為 1000ml 軟袋 | 1000ml 軟袋 |
| 7 | chemotherapeutic agents, parenteral and oral | IKEM1 | Kemoplat 10mg inj. | Cisplatin (CIS-DDPDDP) | 10mg/20ml/vial |
| | | IKEM5 | Kemoplat 50mg inj. | Cisplatin (CIS-DDPDDP) | 50mg/100ml/vial |

| | 代碼 | 商品名 | 學名 | 劑量 |
|----------------------------------------------|--------------------|----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| chemotherapeutic agents, parenteral and oral | ICAO | Carboplatin 150mg inj | Carboplatin | 150mg/15ml/vial |
| | IDTI | Dacarbazine 200mg inj. (DTIC) | Dacarbuzine | 200mg/vial |
| | IELO | Eloxatin 50mg inj. | Oxaliplatin | 50mg/vial |
| | IHO2 | Holoxan 2g inj. | Ifosfamide | 2g/vial |
| | IOXL | Oxaliplatine MERCK 50mg inj. | Oxaliplatin | 50mg/vial |
| | OALK | Alkeran 2mg | Melphalan | 2mg/tab |
| | OLEU | Leukeran 2mg tab. | Chlorambucil | 2mg/tab |
| | OMYL | Myleran 2mg tab. | Busulphan | 2mg/tab |
| | IAVA | Avastin 100mg inj. | Bevacizumab | 100mg/4ml/vial |
| | IERB2 | Erbitux 100mg inj. | Cetuximab | 5mg/ml, 20ml/vial |
| | IHEC | Herceptin 440mg inj. | Trastuzumab | 440mg/vial |
| | IEND5 | Endoxan 500mg inj. | Cyclophosphamide | 500mg/vial |
| | OTM1 | Temodal 100mg cap. | Temozolomide | 100mg/cap |
| | OTM2 | Temodal 20mg cap. | Temozolomide | 20mg/cap |
| | OHYD | Hydrea 500mg cap. | Hydroxyurea | 500mg/cap |
| | IJEV | Jevtana Concentrate and solvent for solution for infusion 60mg/1.5ml | -Injection 60 mg/1.5 mL: contains 60 mg cabazitaxel in 1.5 mL polysorbate 80, -Diluent for Injection : contains approximately 5.7 mL of 13% (w/w)ethanol in water for injection. | 60 mg/1.5ml/vial |
| | IJEVF | Jevtana Concentrate and solvent for solution for infusion 60mg/1.5ml | -Injection 60 mg/1.5 mL: contains 60 mg cabazitaxel in 1.5 mL polysorbate 80, -Diluent for Injection : contains approximately 5.7 mL of 13% (w/w)ethanol in water for injection. | 60 mg/1.5ml/vial |
| | OTYK | Tykerb F.C. 250mg tab. | Lapatinib | 250mg/tab |
| | IMA1 | MabThera 100mg inj. | Rituximab | 100mg/vial |
| | IMA5 | MabThera 500mg inj. | Rituximab | 500mg/vial |
| | IMTX5 | Methotrexat 500mg/5ml inj. | Methotrexate | 500mg/5ml/amp |
| | IALI1 | Alimta 100mg inj. | pemetrexed free acid | 100mg/vial |
| | IALI | Alimta 500mg inj. | Pemetrexed | 500mg/vial |
| | I5FU1 | 5-Fu injection 1000mg/20ml inj. | Fluorouracil | 1000mg/20ml/vial |
| | I GEI | Gemmis 228mg inj. | Gemcitabine HCl | 228mg/6ml/vial, (Gemcitabine 200mg/vial) |
| ICYT | Cytosar 100mg inj. | Cytarabine | 100mg/vial | |
| ICYT5 | Cytosar 500mg inj. | Cytarabine | 500mg/vial | |

| | 代碼 | 商品名 | 學名 | 劑量 |
|----------------------------------------------|-------|------------------------------------------|------------------------------------------|-------------------|
| chemotherapeutic agents, parenteral and oral | IGEM | Gemzar 200mg inj. | Gemcitabine HCl | 200mg/vial |
| | OFUT | Futraful 200mg cap. | 1-(2-tetrahydrofuryl)-5-fluorouracil | 200mg/cap |
| | OMTX | Trexan (MTX) 2.5mg tab. | Methotrexate | 2.5mg/tab |
| | OUFU | Ufur 100mg/224mg cap. | Tegafur+Uracil | 100mg+224mg/cap |
| | OXE5 | Xeloda 500mg tab. | Capecitabine | 500mg/tab |
| | ONOL | Nolvadex 10mg tab. | Tamoxifen | 10mg/tab |
| | ILEPD | Leuplin Depot 3.75mg inj. | Leuprorelin acetate for depot suspension | 3.75mg/vial |
| | ILEP3 | LEUPLIN Depot 3M 11.25mg S.C. Injection | Leuprolide Acetate 11.25mg | 11.25mg/vial |
| | IZOL | Zoladex 3.6mg inj. | Goserelin acetate | 3.6mg/depot |
| | OANT | Anastrozole 1mg F.C. tab. | Anastrozole | 1mg/tab |
| | OARM | Arimidex 1mg tab. | Anastrozole | 1mg/tab |
| | OARO | Aromasin 25 mg SC tab. | Exemestane | 25mg/tab |
| | OFEM | Femara film-coated 2.5mg tab. | Letrozole | 2.5mg/tab |
| | OCAS | Casodex 50mg tab. | Bicalutamide | 50mg/tab |
| | OFUP | Fuprostate 250mg tab. | Flutamide | 250mg/tab |
| | IFYT | Fytosid (VP-16) 100mg inj. | Etoposide | 100mg/5ml/vial |
| | IFO15 | Formoxol 150mg/25ml inj. | Paclitaxel | 150mg/25ml/vial |
| | INAV | Navelbine 10mg inj. | Vinorelbine | 10mg/ml/vial |
| | ITYN | Tynen 20mg/ml inj. | Docetaxel | 20mg/ml/vial |
| | ITA2 | Taxotere 20mg inj. | Docetaxel | 20mg/0.5ml/vial |
| | IVI | Vincristine sulphate 1mg inj. | Vincristine sulfate | 1mg/ml/vial |
| | IVIL1 | Vinblastine Teva 1mg/ml inj. | Vinblastine sulfate | 10mg/10ml/vial |
| | OET | Vepesid (Etoposide) 50mg cap. | Etoposide | 50mg/cap |
| | ONA3 | Navelbine 30mg, solft cap. | Vinorelbine | 30mg/cap |
| | ONAV | Navelbine 20mg, solft cap. | Vinorelbine | 20mg/cap |
| | ICAM | Campto 100mg inj. | Irinotecan hydrochloride trihydrate | 100mg/5ml/vial |
| | IHYC | Hycamtin 4mg inj. | Topotecan HCl | 4mg/vial |
| | IIRI | Irican 100mg inj. | Irinotecan hydrochloride trihydrate | 100mg/5ml/vial |
| | IBLE | Bleocin 15mg inj. | Bleomycin HCl | 15mg/vial |
| | IADI | Adriblastina Rapid Dissolution 10mg inj. | Doxorubicin HCl | 2mg/ml, 5ml/vial |
| | IEPI | Epicin inj 2mg inj. | Epirubicin HCl | 2mg/ml, 10ml/vial |

| | 代碼 | 商品名 | 學名 | 劑量 |
|----------------------------------------------|----------------------|----------------------------------------|------------------------------------------------------------|-----------------------|
| chemotherapeutic agents, parenteral and oral | IL-D | Lipo-dox 20mg inj. | Doxorubicin HCl | 2mg/ml, 10ml/vial |
| | IMC1 | Mitomycin-C 10mg inj. | Mitomycin-C | 10 mg /vial |
| | IPH1 | Pharmorubicin 10mg inj. | Epirubicin HCl | 10mg/vial |
| | IPH5 | Pharmorubicin 50mg inj. | Epirubicin | 50mg/vial |
| | OTHA | Thado 50mg cap. | Thalidomide | 50mg/cap |
| | OGLV | Glivec film-coated 100mg tab. | Imatinib mesylate | 100mg/tab |
| | OIRE | Iressa F.C. 250mg tab. | Gefitinib | 250mg/tab |
| | ONEV | Nexavar film-coated 200mg tab. | Sorafenib Tosylate | 200mg/tab |
| | OSUT | Sutent 12.5mg cap. | Sunitinib malate | 12.5mg/cap |
| | OTAC | Tarceva 150mg tab. | Erlotinib | 150mg/tab |
| | OXAL | Xalkori 250mg cap. | Crizotinib | 250mg/cap |
| | OGIO | Giotrif F.C 40mg tab. | Afatinib Dimaleate | 40mg/tab |
| | OTS1 | TS-1 cap. | Tegafur 20mg,Gimeracil 5.8mg,Oteracil Potassium 19.6mg | 20mg+5.8mg+19.6mg/cap |
| | IVID | Vidaza 100mg vial. | Azacitidine | 100mg/vial |
| | IHAA | Halaven 1mg/2ml Solution for Injection | Eribulin mesylate | 0.5 mg/ml/amp |
| | IPEJ | Perjeta 420mg/14ml inj. | Pertuzumab | 420mg/14ml/vial |
| | IVEC | Velcade powder 3.5mg inj. | Bortezomib | 3.5mg/vial |
| | IZAL | Zaltrap 100mg/4ml inj. | Aflibercept | 100mg/4ml/vial |
| | IPIC | Picibanil 5KE inj. | Streptococcus pyogenes group A, type3, benzylpenicillin K. | 5KE/vial |
| | OAZA | Azamun F. C. 50mg tab. | Azathioprine | 50mg/tab |
| | OLEE | Leevk 100mg F.C. tab. | Imatinib Mesylate | 100mg/tab |
| | OAF5 | Afinitor 5mg tab. | Everolimus | 5mg/tab |
| | OTAS | Tasigna 150mg cap. | Nilotinib | 150mg/cap. |
| | IKAD | Kadcyla 100mg inj. | Trastuzumab Emtansine | 100mg/5ml/vial |
| | OKRE | Krestin 1gm pack. | Kawaratake (Protein-bound polysaccharide) | 1gm/pack |
| | OREL | Revlimid 25mg cap. | Lenalidomide | 25mg/cap |
| | IKA6F | Kadcyla 160mg vial. | Trastuzumab Emtansine | 160mg/8ml/vial |
| | IKADF | Kadcyla 100mg vial. | Trastuzumab Emtansine | 100mg/5ml/vial |
| | IZALF | Zaltrap 100mg/4ml inj. | Aflibercept | 100mg/4ml/vial |
| | IPEJF | Perjeta 420mg/14ml inj. | Pertuzumab | 420mg/14ml/vial |
| IHECF | Herceptin 440mg inj. | Trastuzumab | 440mg/vial | |

| | | 代碼 | 商品名 | 學名 | 劑量 |
|---|-------------------------------------------------|-------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| | chemotherapeutic agents, parenteral and oral | IGEMF | Gemzar 200mg inj. | Gemcitabine HCl | 200mg/vial |
| | | ITA2F | Taxotere 20mg inj. | Docetaxel | 20mg/0.5ml/vial |
| | | IGEIF | Gemmis 228mg/6ml inj. | Gemcitabine Hydrochloride | 38mg/ml,6ml/vial |
| | | ICAMF | Campto 100mg inj. | Irinotecan hydrochloride trihydrate | 100mg/5ml/vial |
| | | IIRIF | Irican 100mg/5ml | Irinotecan hydrochloride trihydrate | 100mg/5ml/vial |
| 8 | dextrose, hypertonic, 20% or greater | IVIT | Vitagen 50% inj. | Glucose | 50% 10gm/20ml/amp |
| | | IP-A | Parental-A inj. | Each 100ml content: Dextrose anhydrous 31.3g, sodium chloride 0.205g, potassium acetate 0.368g, sodium acetate 0.34g, magnesium sulfate 0.0925g, calcium gluconate 0.448g | 400ml/btl |
| | | IP-B | Parental- B inj. | Each 100ml content: Dextrose anhydrous 31.3g, sodium chloride 0.205g, potassium acetate 0.368g, sodium acetate 0.34g, magnesium sulfate 0.0925g, Sodium phosphate monobasic 0.312g | 400ml/btl |
| 9 | dialysis solutions, peritoneal and hemodialysis | I1-1 | 雙聯 1.5% Dianeal 1500ml/bag. | | |
| | | I12 | Nutrineal | PD 4 with 1.1% amino acid, 每ml含- tyroxine L- 0.3mg, tryptophan 0.27mg, phenylalanine L- 0.57mg, threonine L- 0.65mg, methionine L- 0.85mg, isoleucine L- 0.85mg | 2000ml |
| | | I1-2 | 雙聯 1.5% Dianeal 2000ml/bag. | | |
| | | I125 | 1.5% Dianeal 2500ml/bag. | | |
| | | I1-25 | 雙聯 1.5% Dianeal 2500ml/bag. | | |
| | | I150 | 1.5% Dianeal 5000ml/bag. | | |
| | | I2-1 | 雙聯 2.5% Dianeal 1500ml/bag. | | |
| | | I2-2 | 雙聯 2.5% Dianeal 2000ml/bag. | | |
| | | I225 | 2.5% Dianeal 2500ml/bag. | | |
| | | I2-25 | 雙聯 2.5% Dianeal 2500ml/bag. | | |
| | | I250 | 2.5% Dianeal 5000ml/bag. | | |
| | | I4-1 | 雙聯 4.25% Dianeal 1500ml/bag. | | |
| | | I4-2 | 雙聯 4.25% Dianeal 2000ml/bag. | | |
| | | I450 | 4.25% Dianeal 5000ml/bag. | | |
| | | I72 | Extraneal Peritoneal Dialysis Solution With 7.5% Icodextrin | Icodextrin+NaCl+Na lactate+CaCl2 + MgCl2 | 7.5 mg+5.38 mg+4.48 mg+ 0.25 mg+2 0.05 mg/ML, 2000ml/bot |
| | | IL1-1 | 雙聯 1.5% Dianeal .low cal 1500ml/bag. | | |
| | | IL1-2 | 雙聯 1.5% Dianeal .low cal 2000ml/bag. | | |
| | | IL1-3 | 雙聯 1.5% Dianeal .low cal 2000ml/bag. | | |

| | | 代碼 | 商品名 | 學名 | 劑量 |
|------|--------------------------------------------------|-------|--------------------------------------|----------------------------------------------|--------------------|
| | dialysis solutions, peritoneal and hemodialysis | IL15 | 1.5% Dianeal .low cal 15000ml/bag. | | |
| | | IL2-1 | 雙聯2.5% Dianeal .low cal 1500ml/bag. | | |
| | | IL2-2 | 雙聯2.5% Dianeal .low cal 2000ml/bag. | | |
| | | IL2-3 | 雙聯2.5% Dianeal .low cal 2500ml/bag. | | |
| | | IL25 | 2.5% Dianeal .low cal 15000ml/bag. | | |
| | | IL4-1 | 雙聯4.25% Dianeal .low cal 1500ml/bag. | | |
| | | IL4-2 | 雙聯4.25% Dianeal .low cal 2000ml/bag. | | |
| | | IL45 | 4.25% Dianeal .low cal 5000ml/bag. | | |
| | | IL13 | 1.5% Dianeal L/C 2500ml/bag. | | |
| | | IL23 | 2.5% Dianeal L/C 2500ml/bag. | | |
| | | IN220 | 1.5% Dialysate 2000ml | | |
| | | IN420 | 2.3% Dialysate 2000ml | | |
| | | 10 | epidural or intrathecal medications | IMA2 | 0.5% Marcaine |
| IM-S | Marcaine spinal heavy 0.5% | | | Bupivacaine HCl 5mg/ml with dextrose 80mg/ml | 5mg/ml, 4ml/amp |
| I2% | Lidocaine HCl 2% inj. | | | Lidocaine HCl | 20mg/ml, 20ml/vial |
| ICHI | Chirocaine 5mg/ml solution for inj. | | | Levobupivacaine HCl | 5mg/ml, 10ml/amp |
| 11 | hypoglycemics, oral | OGAC | Glucomine 500mg F.C. tab. | Metformin HCl | 500mg/tab |
| | | ODIM | Diamicron MR 30mg tab. | Gliclazide | 30 mg |
| | | OEUG | Diabetin (Euglucon) 5mg tab. | Glibenclamide | 5mg/tab |
| | | OGLM | Glimepiride 2mg tab. | Glimepiride | 2mg/tab |
| | | OGLO | GlucoMet F.C. 5/500mg tab. | Glyburide+Metformin | 5+500mg/tab |
| | | OA-M | Amaryl M 2/500mg tab. | Glimepiride+Metformin | 2+500mg/tab |
| | | OGLT | Glitis 30mg tab. | Pioglitazone HCl | 30mg/tab |
| | | OATSM | ActosMET 15/850mg F.C tab. | Pioglitazone+Metformin HCL | 15mg+850mg |
| | | OGAM | Galvus MET 50/850mg F.C tab. | Vildagliptin+Metformin HCL | 50mg+850mg |
| | | OJAM | Janumet 50/500mg tab. | Sitagliptin phosphate+ Metformin | 50mg+500mg |
| | | ORE | NovoNorm 1mg tab. | Repaglinide | 1mg/tab |
| | | OGAL | Galvus 50mg tab. | Vildagliptin | 50mg/tab |
| | | OJAN | Januvia 100mg tab. | sitagliptin phosphate | 100 mg/ tab |
| 12 | inotropic medications (e.g., digoxin, milrinone) | ILAN | Lanoxin 0.5mg inj. | Digoxin | 0.5mg/2ml/Amp |
| | | OLAN | Lanoxin 0.25mg tab. | Digoxin | 0.25mg/tab |

| | | 代碼 | 商品名 | 學名 | 劑量 |
|----|------------------------------------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------|-----------------------------------------------------------------|---------------------------------|
| 13 | insulin, subcutaneous and IV | IHULK | Humalog Mix50 100U/ml KwikPen | Insulin Lispro 50%+Insulin Lispro protamine 50% 100u/1ml | 300U/3ml/pre-filled pen |
| | | ILA3 | Lantus 300IU solution for injection in a pre-filled pen | Insulin Glargine | 100 I.U./ml, 3ml/pre-filled pen |
| | | ILEE | Levemir FlexPen 300U | insulin detemir | 300U/3ml/pre-filled pen |
| | | INMF | NovoMix 30 FlexPen 3ml 100U/ml inj. | 30% 可溶性 insulin aspart & 70% insulin aspart protamine 結晶的 白色懸浮液 | 100iu/ml,3ml/pre-filled pen |
| | | INOPF | NovoRapid FlexPen 3ml 100U/ml inj. | Insulin Aspart | 100U/ml, 3ml/pre-filled pen |
| | | INPH | Humulin N 1000iu inj. | N.P.H. Human Insulin | 100iu/ml, 10ml/btl |
| | | INSR | Humulin R 1000iu inj. | Regular Human Insulin | 100iu/ml, 10ml/btl |
| 14 | liposomal forms of drugs (e.g., liposomal amphotericin B) and conventional counterparts (e.g., amphotericin B desoxycholate) | IL-D | Lipo-dox 20mg inj. | Doxorubicin HCl | 2mg/ml, 10ml/vial |
| | | IL-DF | Lipo-dox 20mg inj. | Doxorubicin HCl | 2mg/ml, 10ml/vial |
| | | IFUN | Fungizone 50mg inj. | Amphotericin B | 50mg/vial |
| 15 | moderate sedation agents, IV (e.g., dexmedetomidine, midazolam) | IDOM | Dormicum 5mg inj. | Midazolam | 5mg/1ml/amp |
| | | IDII | Dianlin 10mg inj. | Diazepam | 10mg/2ml/amp |
| | | IANX | Anxicam 2mg inj. | Lorazepam | 2mg/ml/vial |
| 16 | moderate sedation agents, oral, for children (e.g., chloral hydrate) | | | | |
| 17 | narcotics/opiates, IV, transdermal, and oral (including liquid concentrates, immediate and sustained-release formulations) | IPEH | Pethidine hydrochloride 50mg inj. | Pethidine HCl | 50mg/ml/amp |
| | | ITRD | Tramtor 100mg inj. | Tramadol HCl | 100mg/2ml/amp. |
| | | OMUA | Muaction 100mg tab. | Tramadol HCl | 100mg/tab |
| | | OTRO | Tramador sandoz uno 200mg retardtabletten | Tramadol HCl | 200mg/tab |
| | | OULT | Ultracet tab. | Tramadol HCl+acetaminophen | 37.5mg+325mg/tab |
| | | EF-5 | Fentanyl Transdermal Patch“PPCD” | Fentanyl | 50 μ g/h, 5.0mg/20 cm2 |
| | | EFE2 | Fentanyl Transdermal Patch“PPCD” | Fentanyl | 25 μ g/h,2.5mg/10 cm2 |
| | | IFENF | Fentanyl-fresenius 0.5mg inj. | Fentanyl | 0.5mg/10ml/amp |
| | | IFEN | Fentanyl 0.5mg inj. | Fentanyl | 0.5mg/10ml/amp |
| | | IMO2 | Morphine HCl 20mg inj. | Morphine HCl | 20mg/amp |
| | | IMOR | Morphine 10mg inj. | Morphine HCl | 10mg/ml/amp |
| | | OCOE | Codeine phosphatis 30mg tab. | Codeine phosphate | 30mg/tab |
| | | OMO15 | Morphine Sulfate 15mg tab. | Morphine HCl | 15mg/tab |
| | | OMS3 | Morphine sulfate sustained-release "MSSR" 30mg tab. | Morphine Sulfate | 30mg/tab |

| | | 代碼 | 商品名 | 學名 | 劑量 |
|-----------------------------|------------------------------------------------------------------------------------------------------------------|-------|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| 18 | neuromuscular blocking agents (e.g., succinylcholine, rocuronium, vecuronium) | INIB | Nimbex 10mg inj. | Cisatracurium (cation) | 2mg/ml, 5ml/amp |
| | | IPAC | Pancuronium 4mg inj. | Pancuronium Br | 4mg/amp |
| | | IESE | Esmeron 50mg/5ml inj. | Rocuronium bromide | 50mg/5ml/vial |
| | | IREL | Relaxin 500mg inj. | Succinylcholine Cl | 500mg/vial |
| 19 | parenteral nutrition preparations | TPNA1 | Total parenteral nutrition solutions | Parenteral-A+Parenteral-B+Moriamin-SN | |
| | | TPNA2 | Total parenteral nutrition solutions | Parenteral-A+Parenteral-B+Moriamin-SN | |
| | | TPNB | Total parenteral nutrition solutions | Parenteral-A+Nepthrosteril | |
| | | TPNC | Total parenteral nutrition solutions | Parenteral-A+Parenteral-B+Aminopoly-H | |
| | | IOLC | Oliclinomel N4-500E inj. | Amino Acid 5.5%+ Glucose 20%+ Lipid Emulsion 10% | 600ml+ 600ml +300ml/bag |
| | | IN15 | Nutriflex 70/240 inj. | 混合前: 上袋含量 (750ml)- isoleucine 6.17g, leucine 8.22g, lysine HCl 7.46g, methioine 5.13g, phenylalanine 9.23g, threonine 4.77g, tryptophan 1.5g, valine 6.81g, arginine monoglutamate 13.08g, histidine HCl monohydrate 4.44g, alanine 12.74g, aspartic acid 3.95g, glutamic acid 3.23g, glycine 4.34g, proline 8.93g, serine 7.88g, magnesium acetate tetrahydrate 1.62g, sodium acetate trihydrate 2.45g, potassium dihydrogen phosphate 3.00g, potassium hydroxide 0.93g, sodium hydroxide 1.71g, water for injections 668g, electrolytes: Na+ 60.8 mmol, K+ 38.6 mmol, Mg++7.5 mmol, Cl- 62 | 1500ml/bag |
| 20 | radiocontrast agents, IV | ZFLR | Fluorescein 10%. | Fluorescein Sod. | 1gm/10ml |
| | | XLIP | Lipiodol Ultra Fluide | ethiodized oil | 10ml/btl |
| | | XDOT | Dotarem | meglumine gadoterate | 376.9mg/ml, 20ml/vial |
| | | XI30 | Iopamiro-300 | lopamidol | 10ml/amp |
| | | XI71 | Iopamiro-370 | lopamidol | 100ml/btl |
| | | XUTR | Ultravist-370 100ml | Iopromide | |
| | | XMUL | MultiHance 15ml | Gadobenate dimeglumine | 529 mg /ml, 15 ml/vial |
| 21 | sterile water for injection, inhalation, and irrigation (excluding pour bottles) in containers of 100 mL or more | ISTE | Sterile Water 1000ml-軟袋 | Water for Injection 1000ml | 1000ml 軟袋 |
| 22 | sodium chloride for injection, hypertonic (greater than 0.9% concentration) | I3%N | 3% Sodium chloride inj. | NaCl | 3%, 500ml/btl |
| Specific Medications | | | | | |
| 1 | EPINEPHrine, subcutaneous | | | | |
| 2 | epoprostenol (Flolan), IV | | | | |
| 3 | insulin U-500 (special emphasis)* | | | | |
| 4 | magnesium sulfate injection | IMAG | Maglol (magnesium sulfate) 2g inj. | Magnesium sulfate | 10% 2g/20ml amp |

| | 代碼 | 商品名 | 學名 | 劑量 | |
|----|----------------------------------------------|------|-----------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------|
| 5 | methotrexate, oral, non-oncologic use | OMTX | Trexan (MTX) 2.5mg tab. | Methotrexate | 2.5mg/tab |
| 6 | opium tincture | OLBM | Liquid Brown Mixture (with opium) | Opium Tincture+Glycyrrhiza Fluid Extract+Antimony Potassium Tartrate+Ethyl Nitrite Spirit | 0.012ml+ 0.12ml+0.24mg+ 0.03ml |
| 7 | oxytocin, IV | IOXO | Oxocin 10 IU/ml inj. | Oxytocin | 10IU/ml/amp |
| 8 | nitroprusside sodium for injection | | | | |
| 9 | potassium chloride for injection concentrate | IKCL | KCl inj. | Potassium chloride 150mg/ml(2meq/ml), Riboflavin-5-phosphate-Na 0.3mg/ml | 10ml/amp |
| 10 | potassium phosphates injection | IKHP | Potassium phosphate inj. | Each ml contain: Potassium phosphate,monobasic 224mg, (equal to- P 3.0 meq, K 4.4meq) | 20ml/amp |
| 11 | promethazine, IV | | | | |
| 12 | vasopressin, IV or intraosseous | IPIT | Pitressin 20U inj. | Vasopressin arginine | 20U/ml |
| 13 | 3級管制藥 | OHAC | Halcion 0.25mg tab. | Triazolam | 0.25mg/tab |
| | | OMOI | Modipanol F.C. 1mg tab. | Flunitrazepam | 1mg/tab |
| | | ORIT | Ritalin 10mg tab. | methylphenidate HCl | 10mg/tab |