

院內藥品未開封建議冷藏之藥品

10505整理

	代碼	英文商品名	未開瓶前貯存條件
1	EFOS	Foster 100/6mcg Metered Aerosol	發藥前請儲存於冰箱(2~8°C)
2	ELOV	Lomexin vaginal Supp. 200mg	2~8°C
3	ESUR	Survanta beractnat intratracheal suspension 8ml	2~8°C
4	ET-L	Tri-Luma cream 15gm	2-8°C,勿冷凍
5	IAAA	Antivenin of D. Acutus 1KIU inj.	2~10°C
6	IABN	Antivenin of B. Multicinctus and N.Naja Atra 1KIU inj.	2~10°C
7	IAC	Actilyse 50mg inj.	30°C以下,避光(廠商建議貯存於冷藏)
8	IAGR	Agrippal S1 suspension for inj.	2~8°C
9	IANX	Anxicam 2mg inj.	冷藏
10	IATM	Antivenin of TM & TG 1KIU inj.	2~10°C
11	IAVA	Avastin 100mg inj.	2~8°C
12	IBEA	Betaferon 0.25mg inj.	25°C以下(藥庫存於冷藏)
13	IBIC	Bicillin L-A 2.4MU inj.	2~8°C
14	IBIE	Biseko 50ml inj.	2~8°C
15	IBOO	Boostrix inj.	2~8°C
16	IBOT	Botox 100U inj.	2~8°C
17	IBYD	Bydureon 2mg inj.	2~8°C
18	ICAN	Carnitene 1g inj.	26°C下避光(廠商建議冷藏,藥庫放在冰箱)
19	ICEV	Cervarix 0.5ml inj.	2~8°C
20	ICUB	Cubicin 500mg inj.	2~8°C
21	IDTI	Dacarbazine 200mg inj. (DTIC)	2~8°C
22	IENB	Enbrel 25mg inj.	2~8°C
23	IEPI	Epicin 20mg inj.	2~8°C
24	IERB2	Erbitux Solution for infusion 100mg	2~8°C
25	IESE	Esmeron solution 50mg inj.	2~8°C
26	IFAS	Fasturtec 1.5mg inj.	2~8°C
27	IFLT	FluaRix Tetra 0.5ml inj.	2~8°C
28	IFOL	Folina 50mg inj.	2~8°C
29	IFOT	Forteo 750mcg inj.	2~8°C
30	IFUN	Fungizone 50mg inj.	冷藏
31	IGAD	Gardasil 0.5ml inj.	2~8°C
32	IGEI	Gemmis 200mg inj.	2~8°C
33	IGEN	Genotropin 5.3mg inj.	2~8°C
34	IGLU	GlucaGen 1mg inj.	2~8°C
35	IHB0	HyperHEP B S/D inj.(0.5ml/syring)	2~8°C
36	IHB1	HyperHEP B S/D inj. (1ml/syring)	2~8°C
37	IHB5	HyperHEP B S/D inj.(5ml/vial)	2~8°C
38	IHBV	Engerix-B inj.	2~8°C
39	IHEC	Herceptin 440mg inj.	2~8°C
40	IHRH	HypRh0-D inj.	2~8°C
41	IHUA	Human Immunoglobulin 3g inj.	2~8°C
42	IHUI	Humira 40mg solution for injection, pre-filled syringe	2~8°C
43	IHULK	Humalog Mix50 KwikPen 300IU/3ml inj.	2~8°C
44	IIRI	Irican 100mg inj.	避光貯存(藥庫冷藏貯存)
45	IKA6F	Kadcyla 160mg inj. (自費加贈)	2~8°C
46	IKAD	Kadcyla 100mg inj.	2~8°C
47	IKADF	Kadcyla 100mg inj. (自費加贈)	2~8°C
48	ILA3	Lantus SoloStar 300IU/3ml inj.	2~8°C
49	IL-D	Lipo-dox 20mg inj.	2~8°C
50	ILEE	Levemir FlexPen 300IU/3ml inj.	2~8°C

院內藥品未開封建議冷藏之藥品

10505整理

代碼	英文商品名	未開瓶前貯存條件
51	ILYP Lyo-Povigent inj.	2~8°C
52	IMA5 MabThera 500mg inj.	2~8°C
53	IMIA Miacalcic 50 IU inj.	2~8°C
54	IMTH Methergin 0.2mg inj.	2~8°C
55	INAV Navelbine 10mg inj.	2~8°C
56	INIB Nimbex 10mg inj.	2~8°C
57	INMF NovoMix 30 FlexPen 300U/3ml inj.	2~8°C
58	INO5 Norditropin SimpleXx 15 IU inj.	2~8°C
59	INOPF NovoRapid FlexPen 3ml 100U/ml inj.	2~8°C
60	INPH Humulin N 1000iu inj.	2~8°C
61	INSR Humulin R 1000iu inj.	2~8°C
62	IONO OncoTICE 12.5mg	2~8°C
63	IORE Orencia lyophilized powder for IV infusion 250mg	2~8°C
64	IPAC Pancuronium Bromide-Fresenius 4mg inj.	2~8°C
65	IPEI Peg-intron 100 mcg inj.	2~8°C
66	IPEJ Perjeta 420mg inj.	2~8°C
67	IPEJF Perjeta 420mg inj. (自費加贈)	2~8°C
68	IPEX Pegasys prefilled syringes 180 mcg/0.5ml inj.	2~8°C
69	IP-I Peg-intron 80 mcg inj.	2~8°C
70	IPNE Pneumovax 23 inj.	2~8°C
71	IPR13 Prevenar 13, Pneumococcal 13-Valent Conjugate Vaccine	2~8°C
72	IRE1 Recormon pre-filled syringes 10000iu	2~8°C
73	IREB Rebif 44 micrograms inj.	2~8°C
74	IREO Recormon pre-filled syringes 2000iu	2~8°C
75	ISA1 Sandostatin 0.1mg inj.	2~8°C
76	ISA2 Sandostatin LAR 20mg inj.	2~8°C
77	ISA3 Sandostatin LAR 30mg inj.	2~8°C
78	ISIM Simponi 50mg inj.	2~8°C
79	ITT1 Tetanus toxoid alum precipitated "KUO KWANG" inj.	2~10°C
80	ITYN Tynen 20mg inj.	2~8°C
81	IVAQ Vaqta 25U inj. (Hepatitis A vaccine, inactivated)	2~8°C
82	IVAQA Vaqta 25U inj. (Hepatitis A vaccine, inactivated)	2~8°C
83	IVI Vincristine sulphate 1mg inj.	2~8°C
84	IVIL1 Vinblastine Teva 10mg inj.	2~8°C
85	IVIO Victoza 18mg/3ml solution for inj.	2~8°C
86	IXGE Xgeva 120mg inj.	2~8°C
87	IZALF Zaltrap 100mg concentrate for solution for infusion	2~8°C
88	IZOS Zostavax inj.	2~8°C
89	LPCT Penicillin skin test 1000U/ml	2~8°C
90	OALK Alkeran 2mg	2~8°C
91	ODES Destone 540mg tab.	應於冷乾的地方貯之,最好是冰箱內
92	OLEU Leukeran 2mg tab.	2~8°C
93	ONA3 Navelbine 30mg soft cap.	2~8°C
94	ONAV Navelbine 20mg soft cap.	2~8°C
95	OROT Rotarix oral suspension	2~8°C
96	ZALA Alcaine oph. sol. 15ml	2~8°C
97	ZXAL Xalatan oph. solu. 2.5ml	2~8°C
98	Japanese Encephalitis Vaccine	2~10°C
99	Pediacel inj.	2~8°C
100	M-M-R II	2~8°C